

APPLICATION	5.25 % Sodium hypochlorite			
	Bleach Per Gallon of Water	Bleach Per Quart of Water	Bleach (Free Chlorine) Concentration	Recommended Labeling
Disinfecting Strength - Diapering areas, surfaces contaminated with bodily secretions/excretions	¼ Cup	1 Tablespoon	500-800 ppm	Disinfectant – Diaper Changing Station
Sanitizing Strength - Food contact surfaces, areas not contaminated with bodily secretions/excretions	1 Tablespoon	¾ Teaspoon	50-200 ppm	Sanitizer – For Food Contact Surfaces and Toys
APPLICATION	6.00 % Sodium hypochlorite			
	Bleach Per Gallon of Water	Bleach Per Quart of Water	Bleach (Free Chlorine) Concentration	Recommended Labeling
Disinfecting Strength - Diapering areas, surfaces contaminated with bodily secretions/excretions	3 ½ Tablespoons	2 ½ Teaspoons	500-800 ppm	Disinfectant – Diaper Changing Station
Sanitizing Strength - Food contact surfaces, areas not contaminated with bodily secretions/excretions	2 ½ Teaspoons	¼ Tablespoon	50-200 ppm	Sanitizer – For Food Contact Surfaces and Toys
APPLICATION	8.25 % Sodium hypochlorite			
	Bleach Per Gallon of Water	Bleach Per Quart of Water	Bleach (Free Chlorine) Concentration	Recommended Labeling
Disinfecting Strength - Diapering areas, surfaces contaminated with bodily secretions/excretions	2 ½ Tablespoon	2 Teaspoons	500-800 ppm	Disinfectant – Diaper Changing Station
Sanitizing Strength - Food contact surfaces, areas not contaminated with bodily secretions/excretions	2 Teaspoons	½ Teaspoon	50-200 ppm	Sanitizer – For Food Contact Surfaces and Toys

